
LOCAL HEALTH: REPORT PART 2

Presentation map




LOCAL HEALTH: REPORT PART 2 - EMERGENCY HOSPITAL ADMISSIONS

Emergency Hospital Admissions: Standardised Admission Ratios (SARs), 2015 to 2016, to 2019 to 2020

| Indicators | Bede | South Tyneside (LTLA 2021) | South Tyneside (UTLA 2021) | England |
|--|-------|-------------------------------|-------------------------------|---------|
| Emergency hospital admissions for all causes (SAR) | 148.5 | 127.5 | 127.5 | 100.0 |
| Emergency hospital admissions for coronary heart disease (SAR) | 122.1 | 123.9 | 123.9 | 100.0 |
| Emergency hospital admissions for stroke (SAR) | 80.3 | 99.4 | 99.4 | 100.0 |
| Emergency hospital admissions for Myocardial Infarction (heart attack) (SAR) | 133.9 | 108.7 | 108.7 | 100.0 |
| Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD) (SAR) | 256.5 | 185.0 | 185.0 | 100.0 |

Source: Hospital Episode Statistics (HES) NHS Digital

Emergency Hospital admissions, Standardised Admission Ratios (SARs), 2015 to 2016, to 2019 to 2020 Bede



Source: Hospital Episode Statistics (HES) NHS Digital


LOCAL HEALTH: REPORT PART 2 - HOSPITAL ADMISSIONS - HARM AND INJURY

Hospital Standardised Admission Ratios (SARs) Admissions - harm and injury: 2016 to 2017, to 2020 to 2021

| Indicators | Bede | South Tyneside (LTLA 2021) | South Tyneside (UTLA 2021) | England |
|---|-------|-------------------------------|-------------------------------|---------|
| Emergency hospital admissions for intentional self harm (SAR) | 127.1 | 151.9 | 151.9 | 100.0 |
| Emergency hospital admissions for hip fractures, persons aged 65 years and over (SAR) | 134.5 | 110.2 | 110.2 | 100.0 |
| Hospital admissions for alcohol attributable conditions (Broad definition) (SAR) | 182.2 | 150.8 | 150.8 | 100.0 |
| Hospital admissions for alcohol attributable conditions, (Narrow definition) (SAR) | 178.4 | 157.6 | 157.6 | 100.0 |

Source: Hospital Episode Statistics (HES) NHS Digital

Hospital Standardised Admission Ratios (SARs) Admissions - harm and injury: 2016 to 2017, to 2020 to 2021 Bede



Source: Hospital Episode Statistics (HES) NHS Digital

LOCAL HEALTH: REPORT PART 2 - CANCER INCIDENCE

Cancer Incidence, 2015 to 2019, standardised incidence ratio (SIR)


Due to disclosure rules this data is not available at MSOA or CCG level, please see metadata for details.

| Indicators | Bede | South Tyneside (LTLA 2021) | South Tyneside (UTLA 2021) | England |
|--|-------|-------------------------------|-------------------------------|---------|
| Incidence of all cancer (SIR per 100) | 123.9 | 112.8 | 112.8 | 100.0 |
| Incidence of breast cancer (SIR per 100) | 102.7 | 101.0 | 101.0 | 100.0 |
| Incidence of colorectal cancer (SIR per 100) | 115.2 | 115.5 | 115.5 | 100.0 |
| Incidence of lung cancer (SIR per 100) | 146.6 | 151.4 | 151.4 | 100.0 |
| Incidence of prostate cancer (SIR per 100) | 99.5 | 89.1 | 89.1 | 100.0 |

Source: English cancer registration data from the NHS Digital Cancer Analysis System (AV2019 CASREF01), National Statistical Postcode Lookup (May 2021)

Cancer Incidence, 2015 to 2019, standardised incidence ratio (SIR)

Due to disclosure rules this data is not available at MSOA or CCG level, please see metadata for details. - Bede



Source: English cancer registration data from the NHS Digital Cancer Analysis System (AV2019 CASREF01), National Statistical Postcode Lookup (May 2021)


LOCAL HEALTH: REPORT PART 2 - LIFE EXPECTANCY

Life expectancy, 2016 to 2020, years

| Indicators | Bede | South Tyneside (LTLA 2021) | South Tyneside (UTLA 2021) | England |
|--|------------|----------------------------|----------------------------|---------|
| Life expectancy at birth for males (year | ars) 75.9 | 76.9 | 76.9 | 79.5 |
| Life expectancy at birth for females (y | ears) 79.7 | 81.4 | 81.4 | 83.2 |

Source: The Office for Health Improvement and Disparities analysis of ONS death registration data and mid-year population estimates.

Life expectancy, compared to England. Life expectancy, 2016 to 2020, years Bede



Source: The Office for Health Improvement and Disparities analysis of ONS death registration data and mid-year population estimates.

LOCAL HEALTH: REPORT PART 2 - MORTALITY AND CAUSES OF DEATH - PREMATURE MORTALITY


Causes of deaths - premature mortality: 2016 to 2020, Standardised Mortality Ratios (SMR)

| Indicators | Bede | South Tyneside (LTLA 2021) | South Tyneside (UTLA 2021) | England |
|--|-------|----------------------------|----------------------------|---------|
| Deaths from all causes, under 75 years (Standardised mortality ratio (SMR)) | 162.5 | 130.2 | 130.2 | 100.0 |
| Deaths from all cancer, under 75 years (Standardised mortality ratio (SMR)) | 151.9 | 123.1 | 123.1 | 100.0 |
| Deaths from circulatory disease, under 75 years (Standardised mortality ratio (SMR)) | 205.5 | 118.7 | 118.7 | 100.0 |
| Deaths from causes considered preventable, under 75 years (Standardised mortality ratio (SMR)) | 197.5 | 147.8 | 147.8 | 100.0 |

Source: Office for Health Improvement and Disparities, produced from Office for National Statistics (ONS) data, Office for Health Improvement and Disparities

Annual Mortality Extracts (based on Office for National Statistics source data)

Causes of deaths - premature mortality, 2016 to 2020, Standardised Mortality Ratios (SMR)



Source: Office for Health Improvement and Disparities, produced from Office for National Statistics (ONS) data, Office for Health Improvement and Disparities

Annual Mortality Extracts (based on Office for National Statistics source data)


Study area **Bede (Ward 2021)**, compared with **England (Country 2021) LOCAL HEALTH: REPORT PART 2 - MORTALITY AND CAUSES OF DEATH**

Causes of deaths - all ages, 2016 to 2020: Standardised Mortality Ratios (SMR)

| Indicators | Bede | South Tyneside (LTLA 2021) | South Tyneside (UTLA 2021) | England |
|---|-------|-------------------------------|-------------------------------|---------|
| Deaths from all causes, all ages (Standardised mortality ratio (SMR)) | 140.1 | 120.3 | 120.3 | 100.0 |
| Deaths from all cancer, all ages (Standardised mortality ratio (SMR)) | 144.4 | 119.3 | 119.3 | 100.0 |
| Deaths from circulatory disease, all ages (Standardised mortality ratio (SMR)) | 133.4 | 108.7 | 108.7 | 100.0 |
| Deaths from coronary heart disease, all ages (Standardised mortality ratio (SMR)) | 152.5 | 108.9 | 108.9 | 100.0 |
| Deaths from stroke, all ages (Standardised mortality ratio (SMR)) | 130.9 | 118.2 | 118.2 | 100.0 |
| Deaths from respiratory diseases, all ages (Standardised mortality ratio (SMR)) | 150.4 | 137.9 | 137.9 | 100.0 |

Source: Office for Health Improvement and Disparities, produced from ONS data

Causes of deaths - all ages, 2016 to 2020, Standardised Mortality Ratios (SMR) Bede



Source: Office for Health Improvement and Disparities, produced from ONS data